AUTHORS: Mokhov, N.V., Kirsh I.V.

TITLE: Changes in the range of concentration fluctuations in dependence
              on temperature and concentration in binary liquid systems having
              the upper critical dissolution temperature

PERIODICAL: Referativnyy zhurnal. Fizika, no. 9, 1961, 167, abstract 9D21 (V
              sb. "Kritich. yavleniya i fluktuatsii v rastvorakh", Moscow, AN
              SSSR, 1960, 89 - 92)

TEXT: The authors obtained the curves of scattering of X-rays in the solu-
tions: carbon bisulfide with methyl alcohol with 19 (I) and 32 (II) weight per
cent of CS_2. I was investigated at 12 and $63^{\circ}C$; II - at 12, 21, 55 and $63^{\circ}C$;
II - at 12, 21, 55 and $63^{\circ}C$. Scattering curves are characterized by a sharp
fall-off at small angles and a number of peaks. The latter phenomenon is relat-
ed to monodispersity of non-homogeneous regions. Dimensions R_o of non-homogene-
ous regions depend on temperature. At $12^{\circ}C$ for II, $R = 107.4$ A. With tempera-
ture increasing up to $63^{\circ}C$, R decreases to 93.7 A. A comparison of the range

Card 1/2

MOKHOV, N.V.; LABKOVSKIY, Ya.

Fluctuant formations in ether and benzene and their variation
with temperature. Ukr. fiz. zhur. 9 no.5:465-470 My '64.
(MIRA 17:8)

1. Dnepropetrovskiy gosudarstvennyy universitet.

30

'Critical Phenomena and Fluctuations   SOV/5469

Shimanskaya, Ye. T., Yu. I. Shimanskiy, and A. Z. Golik [Lab-
oratory of Molecular Physics, Division of Physics, Kiyev
State University imeni T. G. Shevchenko]. Investigation of
the Critical State of Pure Substances by Tepler's Method   171

Resolution of the Conference on Critical Phenomena and Fluc-
tuations in Solutions   189

AVAILABLE: Library of Congress (QD545.S73)

JP/dfg/jw
10-28-61

Card 9/9

30

Critical Phenomena and Fluctuations   SOV/5469

Card 8/9

3o

Critical Phenomena and Fluctuations·   SOV/5469

Roshchina, G. P. [Laboratoriya molekulyarnoy fiziki, Fizi-
cheskiy fakul'tet, Kiyevskiy gosudarstvennyy universitet im.
T. G. Shevchenko --   Laboratory of Molecular Physics, Divi-
sion of Physics, Kiyev State University imeni T. G. Shevchenko]
Investigation of Fluctuations in Solutions by the Method of   109
Light Scattering

Skripov, V. P. [Laboratoriya molekulyarnoy fiziki, Ural'skiy
politekhnicheskiy institut im. S. M. Kirova -- Laboratory of
Molecular Physics, Ural Polytechnic Institute imeni S. M.
Kirov]. Special Structural Features of Matter in the Vicin-   117
ity of the Critical Point and Transfer Phenomena

Skripov, V. P., and Yu. D. Kolpakov [Laboratory of Molecular
Physics, Ural Polytechnic Institute imeni S. M. Kirov, and
the Laboratoriya teplofiziki, Ural'skiy filial AN SSSR --
Thermophysics Laboratory, Ural Branch, AS USSR]. Light Scat-
tering in Carbon Dioxide along Pre- and Post-Critical Isotherms   126

Smirnov, B. A. [Institut neftekhimicheskogo sinteza AN SSSR --
Card 7/9

.3o

Critical Phenomena and Fluctuations   Sov/5469

Card 6/9

30

Critical Phenomena and Fluctuations   Sov/5469

High-Pressure [Studies], GIAP]. Kinetics of Heterogeneous
Processes in the Critical Region   54

Krichovskiy, I. R., N. Yo. Khazanova, and L. R. Linshits [Lab-
oratory of High Pressure [Studies], GIAP]. Liquid-Vapor
Equilibrium in the Critical Region of Liquid-System Strati-
fication   61

Lonova, N. N, and M. I. Shakhparonov [Laboratory of the
Physical Chemistry of Solutions, Chemistry Division, Moscow
State University imeni M. V. Lomonosov]. Permittivity and
Molecular Structure of Solutions   73

Lenshina, L. V., and M. I. Shakhparonov [Laboratory of the
Physical Chemistry of Solutions, Chemistry Division, Moscow
State University imeni M. V. Lomonosov]. Thin Structure of
the Line of Rayleigh Light Scattering in Solutions   77

Mokhov, N. V., and Ya. M. Lubkovskiy [Kafedra eksperimental'noy
fiziki, Dnepropetrovskiy gosudarstvennyy universitet -- Depart-

Card 5/9

Critical Phenomena and Fluctuations   SOV/5469

50

Zatsepina, L. P., and M. I. Shakhparonov [Laboratory of the
Physical Chemistry of Solutions, Chemistry Division, Moscow
State University imeni M. V. Lomonosov]. Rayleigh Light
Scattering in Nitrobenzene -- Cyclohexane and Ethyl Alchol -
- Diethylamine Solutions   32

Kasimov, R. M., and M. I. Shakhparonov [Laboratory of the
Physical Chemistry of Solutions, Chemistry Division, Moscow
State University imeni M. V. Lomonosov]. Dielectric Proper-
ties of Solutions in Electromagnetic Fields of the Millimetric
Band and Concentration Fluctuations   37

Krichevskiy, I. R., and N. Ye. Khazanova [Laboratoriya vysokikh
davleniy GIAP -- Laboratory of High-Pressure [Studies], Mos-
cow State Design and Planning Scientific Research Institute of
the Nitrogen Industry]. Diffusion of Liquid and Gaseous Solu-
tions in the Critical Region   45

Krichevskiy, I. R., and Yu. V. Tsekhanskaya [Laboratory of

Card 4/9

3ɔ

Critical Phenomena and Fluctuations   SOV/5469

Akhadov, Ya. Yu., and M. I. Shakhparonov [Laboratoriya fiziko-
khimii rastvorov, Khimicheskiy fakul'tet, Moskovskiy gosudarst-
venyy universitet im. M. V. Lomonosova -- Laboratory of
the Physical Chemistry of Solutions, Chemistry Division, Moscow
State University imeni M. V. Lomonosov]. Dielectric Properties
of Solutions in a Superhigh Frequency Field and Concentration
Fluctuations   14

Beridze, D. K., and M. I. Shakhparonov [Laboratory of Physi-
cal Chemistry of Solutions, Chemistry Division, Moscow State
University imeni M. V. Lomonosov]. Light Scattering in Solu-
tions Having a Critical Stratification Point   21

Vuks, M. F., and L. I. Lisnyanskiy [Laboratoriya molekulyarnoy
optiki, Fizicheskiy fakul'tet, Leningradskiy gosudarstvennyy
universitet im. A. A. Zhdanova -- Laboratory of Molecular
Optics, Physics Division, Leningrad State University imeni
A. A. Zhdanov]. Intermolecular Interaction and Light Scat-
tering in Solutions of Pyridine and α- Picoline in Water   27

Card 3/9

Critical Phenomena and Fluctuations

COVERAGE: The book contains 24 of the 26 reports read at the
Conference on Critical Phenomena and Fluctuations in Solutions
organized by the Chemical Division of Moscow State University,
January 26-28, 1960. The reports contain results of investi-
gations carried out in recent years by Soviet physicists,
chemists, and heat power engineers. The Organizing Committee
of the Conference was composed of Professor Kh. ...
A. Z. Golik, I. R. Krichevskiy (Chairman), V. K. ...ko,
A. V. Storonkin, I. Z. Fisher, and M. I. Shakhparonov ...uty
Chairman). References accompany individual articles.

TABLE OF CONTENTS:

Card 2/9

MIKHLOV, N.V,

PHASE I BOOK EXPLOITATION   SOV/5469

Soveshchaniye po kriticheskim yavleniyu i flyuktuatsiyan v
    rastvorakh. Moscow, 1960.

Kriticheskiye yavleniya i flyuktuatsii v rastvorakh; trudy
    soveshchaniya, yanvar' 1960 g. (Critical Phenomena and Fluc-
    tuations in Solutions, Transactions of the Conference,
    January 1960) Moscow, Izd-vo AN SSSR, 1960. 190 p. 2,500
    copies printed.

Sponsoring Agencies: Akademiya nauk SSSR. Otdeleniye khimi-
    cheskikh nauk. Moskovskiy gosudarstvennyy universitet im.
    M. V. Lomonosova. Khimicheskiy fakul'tet.

    Responsible Ed.: M. I. Shakhparonov, Doctor of Chemical
    Sciences, Professor; Ed. of Publishing House: E. S. Dragunov;
    Tech. Ed.: S. G. Tikhomirova.

PURPOSE ; This collection of articles is intended for scientific
    personnel concerned with chemistry, physics, and heat power
    engineering.
Card 1/9

MOKHOV, N.V.; KIRSH, I.V.

X-ray study of the system: phenol -- water. Zhur.fiz.khim.
30 no.6:1319-1323 Je '56. (MLRA 9:10)

1. Dnepropetrovskiy gosudarstvennyy universitet.
(Phenols) (X rays--Diffraction)

ACCESSION NR: AR4032178 S/0058/64/000/002/E005/E005

SOURCE: Ref. zh. Fiz., Abs. 2E33

AUTHORS: Mokhov, N. V.; Kolesnichenko, K. Ye.

TITLE: On the polymorphism of liquids

CITED SOURCE: Nauchn. zap. Dnepropetr. un-t, v. 61, 1963, 54-57

TOPIC TAGS: liquid, polymorphism, salol, menthol, x-ray diffraction study, structural change, supercooled state, liquid dielectric

TRANSLATION: The results of an x-ray diffraction investigation of salol (from -30 to +90C) and menthol (from +24 to 90C) are presented and offer evidence that no considerable changes occur in the structures of these substances over the entire investigated range of states, including the supercooled state.

DATE ACQ: 31Mar64   SUB CODE: PH, CH   ENCL: 00

Card   1/1

KIM, M.F., kand. tekhn. nauk; MOKHOV, N.V., insh.

Practice of using borehold charges with air spaces in Kazakhstan open-pit mines. Vzryv. delo no. 51/8:169-175 '63.

1. Kazakhskiy politekhnicheskiy institut.
(Kazakhstan—Blasting)

NIKUYKO, Ye.; MOKHOV, N.V.

Bevel of bits for combination drilling of holes. Sbor. nauch. trud.
Kaz GMI no.19:98-102 '60. (MIRA 15:3)
(Boring machinery)

MOKHOV, N.N., mashinist krana

Every third man is an efficiency promoter. Transp. stroi.
12 no.1:5-6 Ja '62. (MIRA 17:2)

1. Zavod zhelezobetonnykh konstruktsiy Gosudarstvennogo
ordena Lenina i ordena Trudovogo Krasnogo Znameni upravleniya
stroitel'stva Moskovskogo metropolitena.

MOKHOV, Nikolay Ivanovich; SHIRYAYEV, Yu.S., red.; MATSUK, R.V.,
red.izd-va; MURASHOVA, V.A., tekhn.red.

[Average profit and production costs] Sredniaia pribyl'
i tsena proizvodstva. Moskva, Gos.izd-vo "Vysshaia shkola,"
1961. 25 p.   (MIRA 14:4)
      (Profit)   (Costs, Industrial)

MOKHOV, N.I.; KHUDOKORMOV, G.N., red.; ROTOVA, R.S., red.izd-va;
GOROKHOVA, S.S., tekhn.red.

[Capital and surplus value. Fundamental economic law of
capitalism; lecture on a course in political economy] Kapital
i pribavochnaia stoimost'. Osnovnoi ekonomicheskii zakon kapi-
talizma; lektsiia po kursu politicheskoi ekonomii. Moskva,
Gos.izd-vo "Vysshaia shkola," 1959. 34 p.   (MIRA 13:4)
                    (Economics)

MOKHOV, N. A., brigadir betonshchikov

We are increasing the manufacture of supports for overhead
contact systems. Transpstroi 13 no. 11:31 N '63. (MIRA 17:5)

1. Ryazanskiy zavod zhelezobetonnykh konstruktsiy.

LEVIT, Srul' Elikovich; MOKHOV, Nikolay Andreyevich; ODUD, Afanasiy
    Lukich; GROSULA, Ya.S., otv.red.; IVANOVA, R.S., red.izd-va;
    RYLINA, Yu.V., tekhn.red.

[Moldavian S.S.R.] Moldavskaia SSR. Moskva, Izd-vo Akad.nauk
    SSSR, 1959. 94 p.   (MIRA 12:5)
                            (Moldavia)

NAUMOV, I.A.; MOKHOV, L.N.

Resistance of wheat kernels to dynamic loads. Izv. vys. ucheb.
zav.; pishch. tekh. no.3:7-13 '60. (MIRA 14:8)

1. Moskovskiy tekhnologicheskiy institut pishchevoy promysh-
lennosti, Kafedra mukomol'no-krupyanogo proizvodstva.
                    (Wheat)

Rapid method of determining the concentration of hydrogen peroxide
vapors. Zhur.prikh.khim. 35 no.11:2573-2574 N '62. (MIRA 15:12)
(Hydrogen peroxide) (Air—Analysis)

Colorimetric quantitative determination of the hydrogen sulfide content of the air. Lab. delo 8 no.3:44-47 Mr '62. (MIRA 15:5)

(COLORIMETRY)　(HYDROGEN SULFIDE)　(AIR--POLLUTION)

[Accelerated methods for the determination of injurious gases and volatile substances in the air] Uskorennye metody opredele-niia v vozdukhe vrednykh gazoobraznykh i paroobraznykh veshchestv.

(MIRA 15:7)

Moskva, Medgiz, 1962. 146 p.

(Air—Analysis)

MOKHOV, L.A.; MAREYEVA, N.S.

Rapid method of determining the vapor concentrations of aliphatic
amino compounds. Zhur.prikl.khim. 34 no.3:699-700 Mr '61.
(MIRA 14:5)

(Amino compounds)

MOKHOV, L. A., CAND CHEM SCI, "INVESTIGATION OF THE CHE-

MICAL COMPOSITION OF VOLATILE PRODUCTS FORMED IN LAMELLAR

ATMOSPHERIC OXYGEN OXIDATION OF CERTAIN TYPES OF MINERAL

LUBRICATING OILS, UNDER CONDITIONS OF AVIATION OPERATIONS."

MOSCOW, 1961. (MIN OF HIGHER AND SEC SPEC ED RSFSR. MOSCOW

ORDER OF LENIN CHEMICAL AND TECHNOLOGICAL INST IMENI D. I.

MENDELEYEV). (KL-DV, 11-61, 211).

-45-

Mokhov, L. A.

5?

S/C32/60/026/04/40/046
BO10/BOO6

AUTHORS: 1) Ivanov, K.A., 2) Konstantinov, V.A., 3) Ostapchenko, Ye.P.,
Rastorguyev, L.N., 4) Avdeyev, V.G., 5) Mokhov, L.A., Mezninikov, V.P.,
6) Lutugina, N.V.

TITLE: News in Brief

PERIODICAL: Zavodskaya laboratoriya, 1960, Vol. 26, No. 4, pp. 504-506

TEXT: 1) The author reports on the development of X-ray apparatus for measuring
stresses of first order in welded designs. The apparatus (Fig., photograph)
comprises a switchboard, high voltage transformer, X-ray tube (in a casing), a
stand for the latter, a chamber, and mechanism for vibrating and rotating the
specimen. P.M. Lebedev and P.V. Shepelev collaborated in designing the chamber
and the stand. A brief description of the apparatus is given. 2) The author
recommends the use of an attachment (Fig.) for taking photographs of coarse-
crystalline specimens by the 1-KROS camera. The specimen which is fixed by a
holder, is shifted by means of a cam which has the shape of opposite
Archimedean spirals. Cam rotation shifts the specimen by $\sin^2\alpha$, where α = angle

Card 1/2

of specimen displacement vertical to the incident X-ray. 3) The authors describe
a dismountable vacuum tube (Fig.) for X-ray structural analysis. The tube
casing has three openings for the X-rays and one for evacuation. The copper
anode has a titanium mirror, the construction of which is described. 4) The
author briefly describes a simple device (Fig., photograph) for lowering the
chamber of the ISP-22 quartz spectrograph. 5) The authors describe a simple
apparatus for sampling gas under reduced pressure. The apparatus (Fig.,
diagram) consists of two absorbers, a rheometer, and a vacuum pump. A short
explanation of the diagram is given. 6) The author discusses the application
of somewhat modified Puyler condensers for investigating rectification processes
of ternary systems in the distillates of which demixing occurs. The mode of
operation of the condensers is described by means of a diagram (Fig.). There
are 6 figures and 1 reference.

ASSOCIATION: 6) Leningradskiy gosudarstvennyy universitet (Leningrad State
University)

Card 2/2

AUTHORS: Mokhov, L.A., Udalov, Yu.F., Khalturin, V.S.   SOV/80-32-2-46/56

TITLE: Special Indicator Pipes for the Fast Determination of Nitrogen Oxides in the Air of Industry Buildings (Spetsial'nyye indikatornyye trubki dlya bystrogo opredeleniya okislov azota v vozdukhe promyshlennykh pomeshcheniy)

ABSTRACT: An indicator made of n-aminobenzoic acid and N-acid on silicagel is used in pipes for the determination of nitrogen oxides in air. The indicator has a raspberry-color which changes in the presence of nitrogen oxides. The color is compared with a standard scale which is obtained by testing known oxide concentrations. The sensitivity of the apparatus is 0.0005 mg/l. The indicator is specific, i.e. it does not change color in the presence of ether, hydrochloric acid, mercury, etc.
There is 1 table and 9 references, 8 of which are Soviet and 1 German.

Card 1/1

MOKHOV, L.A. (Moskva); MALYSHKIN, B.Ye. (Moskva)

Determination of aliphatic amino compounds. Gig. i san. 24 no.9:81
S '59.   (MIRA 13:1)
                              (AMINO COMPOUNDS)

MOKHOV, L.A.; DZEDZICHEK, V.P.

Rapid method for determining ozone in air. Zav.lab. 25 no.11:1303-1305 '59. (MIRA 13:4)

(Ozone)

DEMIDOV, A.V.; MOKHOV, L.A.; MALYSHKIN, B.Ye.

Rapid method of quantitative determination of fuel vapors in the
air with tube indicators. Lab.delo 5 no.5:39-41 3-0 '59.
(MIRA 12:12)

(INDICATORS AND TEST PAPERS)   (LIQUID FUELS)

MOKHOV, L.A.

Method for preparing fuchsin sulfuric acid.   Lab.delo 4 no.6:46-47
N-D '58   (MIRA 11:12)

(FUCHSIN)
(SULFURIC ACID)

MOKHOV, L.A.; KHALTURIN, V.S.

Rapid method for determining nitrogen oxides in air. Lab.delo
4 no.2:26-27 Mr-Ap '58.   (MIRA 11:4)
        (NITROGEN OXIDES)   (AIR--ANALYSIS)

MOKHOV, L.A. (Moskva); UDALOV, Yu.F. (Moskva); SHINKARENKO, I.P. (Moskva)

Ointment for protecting the human skin from ultraviolet rays.
Vest.derm. i ven. 31 no.1:48-49 Ja-F '57. (MIRA 10:7)
(ULTRAVIOLET RAYS--PHYSIOLOGICAL EFFECT)
(BENZOIC ACID) (OINTMENTS)

MOKHOV, L.A.

DEMIDOV, A.V.,podpolkovnik meditsinskoy sluzhby; MOKHOV, L.A.,inzhener-
leytenant

Determination of air humidity with indicator tubes. Gig. i san.
22 no.2:64-65 F '57   (MIRA 10:4)
        (HUMIDITY, determ.
            indicator tube technic)

MOKHOV, L.A.; DEMIDOV, A.V.

Method for determining carbon monoxide in the air by means of
indicator tubes. Lab. delo 3 no.1:48-50 Ja-F '57   (MLRA 10:4)
(AIR--ANALYSIS) (CARBON MONOXIDE)

USSR / and Their Application

Medicinals. Vitamins. Antibiotics.

Abs Jour: Referat Zhur - Khimiya, No 9, 1957, 32285

Author : Mokhov L.A.

Title   : Conditions of Formation of Crystalline Hydro-
chloride of 2-Amino-Thiazol

Orig Pub: Zh. prikl. khimii, 1956, 29, No 5, 804-805

Abstract: Description of the procedure of preparing cry-
stalline 2-aminothiazol hydrochloride (I) (used
in the production of norsulfazol) by mixing
crystalline hydrate of $ClCH_2CHO$ (II) with
NH_2CSNH_2 (III). Mixture of 14.5 g II and 9.8 g
III is thoroughly ground in a mortar and allowed
to stand for 12 hours; the reaction takes place

Card 1/2

L 05772-67

ACC NR: AR6031886

consequently, anomalous conductivity, the specially prepared specimens must be subjected to a preliminary optical treatment either with white light or with light with $\lambda < 5300$ Å . F. Nad'. [Translation of abstract]

SUB CODE: 20/

Card 2/2

L 05772-67   EWT(l)/EWT(m)/EWP( )/E   P( )   JD/A

ACC NR: AR6031886   SOURCE CODE: UR/0058/66/000/006/E093/E093

AUTHOR: Mokhov, G. D.; Bazakutsa, V. A.

TITLE: Optical processing of selenium specimens possessing anomalous photoconductivity

SOURCE: Ref. zh. Fizika, Abs. 6E733

REF SOURCE: Vestn. Khar'kovsk. politekhn. in-ta, no. 2(50), 1965, 110-115

TOPIC TAGS: selenium, photoconductivity, anomalous photoconductivity, photoresistance, photoeffect, photoresponse

ABSTRACT: The anomalous photoconductivity of Se layers obtained by vapor deposition under vacuum on glass substrates and treated in Hg vapors was investigated. For some of these photoresistances, the photoresponse value does not depend on incident light intensity but only on the wavelength. It is shown that only those Se-photoresistances with inherent simultaneous presence of both positive and negative photoeffects possess anomalous photoconductivity. It was found that the presence of "quasidark" conductivity is a sign that the specimen possesses anomalous photoconductivity. To obtain "quasidark" conductivity and,

Card 1/2

intensity, temperature, and the time. Apparently these features are related to the fact that both the processes which bring about positive photoconductivity and those which result in nagative photoconductivity, and which have different time curves, contribute to the photoresponse. F. Nad. [Translation of abstract]

SUB CODE: 20/

Card 2/2

...relaxation curves in selenium treated

REF SOURCE: Fizika. Abs. 6E750

Vestn. Khar'kovsk. politekhn. in-ta, no. 2(50), 1965, 97-99

TOPIC TAGS: selenium photoconductivity, photoconductivity relaxation, photocurrent, photocurrent buildup

ABSTRACT: The kinetics of photocurrent build-up are studied in a selenium specimen (layer thickness, $7.4 \cdot 10^{-4}$ cm; dark resistance, $1.67 \cdot 10^{7}$ ohm) which had been treated in mercury vapor 48 hr after spraying. The investigation was carried out in the spectral region of 4500—6000 Å, in which the maximum sensitivity of this specimen lies. It was found that an increase in current proceeds nonmonotonically and that the relaxation curves show several maxima and minima. The nature of photocurrent build-up processes depends in a considerable degree on

Card 1/2

ACC NR: AP6008117

was moved relative to the optical probe with the aid of a micrometer screw, so that the photosensitivity of different sections of the sample could be determined. The spectral components were determined with a monochromator (UM-2). The sample preparation technology was described in the earlier paper. The maximum relative photosensitivity (increase of photosensitivity above its dark value) occurred at approximately 0.25 mm from the edge of the metallic electrode with which the photosensitive region is in contact, regardless of the wavelength of the applied light. In the case of wavelengths longer than 5300 Å, all the regions of the selenium layer had only positive photoconductivity. At lower wavelengths, certain sections of the region next to the electrode had negative photoconductivity. Qualitatively comparable results were obtained for both positive and negative voltage applied to the electrode. The results confirm the earlier deductions that the mercury atoms do not penetrate uniformly in the electrode regions of the investigated samples during production of the layer. Orig. art. has: 2 figures.

SUB CODE: 20/   SUBM DATE: 10Jul64/   ORIG REF: 005/

L 09431-66   EWT(l)/EWT(m)/EWC(f)/EWG(m)   EDW/JD

ACC NR: AP6008117   SOURCE CODE: UR/0139/66/000/001/0182/0183

AUTHORS: Mokhov, G. D.; Bavykina, V. N.; Bazakutsa, V. A.

ORG: Khar'kov Polytechnic Institute (Khar'kovskiy politekhnicheskiy institut)

TITLE: Distribution of the photosensitivity of selenium samples having anomalous photoconductivity

TOPIC TAGS: selenium, photoconductivity, photosensitivity, mercury containing alloy

ABSTRACT: This is a continuation of earlier studies of the photoconductivity of selenium treated with mercury vapor (Izv. vuzov SSSR, Fizika, No. 5, 182, 1964 and others). In the present paper the authors present experimental results of an investigation of the distribution of the photosensitivity in the light-sensitive region near the electrode. The investigation was made with a specially prepared setup, in which an optical probe of width 0.1 mm was produced. The sample

Card   1/2

q,4177 (1035)

26.2421

AUTHORS: Korsunskiy, M. I., Pastushuk, N. S.. and Mokhov, D.

TITLE: A new type of photoconductivity

TEXT: The authors discovered a new type of photoconductivity in mercury-doped selenium. They studied the dependence of this photoconductivity on wavelength and intensity of illumination. The specimens were irradiated with monochromatic light in a vacuum chamber $(10^{-6}$ mm Hg) and the photo-conductivity change was recorded by a loop oscilloscope. The curves $\sigma = f(t)$ for illumination wavelengths between $0.425-0.715\mu$ were taken and dark conductivity was measured. It was found that upon illumination with $\lambda = 0.535\mu$ conductivity did not change, at $\lambda > 0.535\mu$ it increased and at $\lambda < 0.535\mu$ it decreased. The transient period of a steady conductivity is much shorter in illumination with short-wave light than in illumination with light of longer wavelengths. On illumination with any monochromatic light (except for $\lambda = 0.425\mu$) the photoconductivity of the specimen

Card 1/4

Exclusion of the influence ...

The results are random and uncontrollable. Nevertheless, some samples could be obtained for which $\Delta\sigma_{max}$ differs but little from $\Delta\sigma_{ph\ max}$, and $(\Delta r/r)\cdot 100\%$ at $2.5\cdot 10^{-6}$ w/cm^2 reaches a value of 85-97%. The table gives results of measurement in the range 360-460 mμ. The samples investigated remained unchanged for two years under atmospheric conditions and gave reproducible results. There are 6 figures, 1 table, and 2 Soviet-bloc references.

ASSOCIATION: Khar'kovskiy politekhnicheskiy institut imeni V. I. Lenina (Khar'kov Polytechnic Institute imeni V. I. Lenin)

SUBMITTED: April 1, 1960 (initially); January 20, 1961 (after revision)

Номер образца	R, ом	$\dfrac{r_0}{r}$	$\dfrac{r_\phi}{r}$	$\dfrac{\Delta\sigma_m}{\sigma}$	$\dfrac{\Delta\sigma_{\phi.m}}{\sigma_\phi}$	$\dfrac{\Delta\sigma_m}{I}$, ом$^{-1}\cdot$вт$^{-1}$
2	$7.40\cdot 10^8$	0.58	0.42	0.63	11.40	$6.55\cdot 10^{-3}$
3	$2.17\cdot 10^8$	0.65	0.95	0.36	9.25	$13.00\cdot 10^{-3}$
56	$1.41\cdot 10^9$	0.11	0.89	5.43	23.6	$0.68\cdot 10^{-3}$
6	$10.12\cdot 10^9$	0.003	0.997	50.50	59.50	$0.77\cdot 10^{-3}$

Card 3/4

23104

Exclusion of the influence ...

of light) it is written: $\Delta\sigma = f(I)/r^2\sigma_{ph}^2\left[1 + f(I)/r\sigma_0\sigma_{ph}\right]$ (2). For

$\Delta\sigma = \Delta\sigma_{max}$: $1/\Delta\sigma_{max} = (r^2/r_{ph}^2)\left[1/f(I)\right] + r_0r/r_{ph}$ holds (3). Introducing

$a = r^2/r_{ph}^2$, $b = r_0r/r_{ph}$ (4) one obtains: $1/\Delta\sigma_{max} = a/f(I) + b$ (5). If

the function $1/\Delta\sigma_{max} = 1/f(I)$ becomes linear, a and b can be calculated and

r_0 and r_{ph} determined from them. I) For typical samples for which the

change of resistance $(\Delta r/r)\cdot 100\%$ corresponds to a $\Delta\sigma_{max}$ of 20-30%,

$1/\Delta\sigma_{max} = \varphi\left[1/f(I)\right]$ was determined at 360-460, 600-720 mμ (Fig. 2). The

existence of the non-photoactive resistance r_0 was thus confirmed. For

intensities 10^{-5}-10^{-3} w/cm^2 the condition $\Delta\sigma_{ph\,max} = a\sqrt{I}$ is satisfied. The

real photoeffect $\Delta\sigma_{ph\,max}$ is several times larger than the observed $\Delta\sigma_{max}$

and is masked by r_0. Experiments were undertaken to obtain samples with

small r_0. [Abstracter's note: The method of these experiments is not given]

Card 2/4

9,4300 (1138, 1147, 1164)

26.2421

AUTHORS: Korsunovskiy, M. I., Pastushuk, N. S., and Mokhov, G. D.

TITLE: Exclusion of the influence of non-photoconductive layers in
                the investigation of the photoconductivity of layers of
                amorphous selenium with mercury impurity

PERIODICAL: Fizika tverdogo tela, v. 3, no. 5, 1961, 1366-1370

TEXT: Amorphous selenium treated with mercury vapor shows an anomalous lux-
ampere characteristic. The maximum photoeffect tends to a constant satura-
tion value. From this the interference is drawn that the samples studied
possess a non-photoactive resistance r_o. The object of the present work was
to detect its existence. A start is made from the fact that the experimen-
tally measured resistance r can be put as $r_{ph} + r_o$, where r_{ph} is the

resistance that alters with exposure. Let $\Delta\sigma$ be the observed change of
conductivity; $\Delta\sigma_{ph}$ its true value; and σ_o, σ_{ph} the dark conductivity of the

non-photoactive, and the photoactive part, respectively. Then
$\Delta\sigma = \Delta\sigma_{ph}/r^2\sigma_{ph}^2(1 + \Delta\sigma_{ph}/r\sigma_o\sigma_{ph})$ (1). Since $\Delta\sigma_{ph} = f(I)$ (I = intensity

Card 1/4

83362

S/139/60/000/004/020/033
E201/E591

Photoconductivity Kinetics of Amorphous Selenium Layers Treated
with Mercury Vapour

ASSOCIATION: Khar'kovskiy politekhnicheskiy institut imeni
V. I. Lenina
(Khar'kov Polytechnical Institute imeni V. I. Lenin)

SUBMITTED: June 29, 1959 (initially)
March 26, 1960 (after revision)

Card 3/3

83362

S/139/60/000/004/020/033
E201/E591

Photoconductivity Kinetics of Amorphous Selenium Layers Treated with Mercury Vapour

irrespective of the polarity of the applied voltage. Initially the photoconductivity rose very sharply, reached a maximum $(\Delta \sigma_{max})$ and then decreased slowly reaching a steady-state value $(\Delta \sigma_c)$ in 4-5 min. A family of oscillograms representing the dependence $\sigma = \sigma_d \pm \Delta \sigma = \varphi(t)$, where σ_d is the dark conductivity, is shown in Fig.4. Figs.5-10 show, as a function of the intensity of illumination, $\left(\dfrac{d\sigma}{dt}\right)_{t \to 0}$ (Figs. 5 and 6), $\Delta\sigma_{max}$ (Figs.7 and 8), $\Delta\sigma_c$ (Figs. 9 and 10). It was found that the photoconductivity kinetics of mercury-treated selenium layers depended strongly on the wavelength of illumination, on its intensity and on the polarity of the applied electric field.The negative photoconductivity was observed under illumination with short-wavelength light of sufficient intensity. The positive photoconductivity decay became less pronounced with increase of wavelength at a fixed illumination intensity.   There are 10 figures and 5 references: 4 Soviet and 1 French.

Card 2/3

83362

9.4177

24.3600

AUTHORS: Korsunskiy, M.I., Pastushuk, N.S. and Mokhov, G.D.

TITLE: Photoconductivity Kinetics of Amorphous Selenium Layers Treated with Mercury Vapour

TEXT: The paper deals with photoconductivity of amorphous selenium layers treated with mercury vapour and exhibiting both positive and negative photoconductivity (positive means here enhancement of the electrical conductivity by illumination, negative means reduction of the electrical conductivity). Selenium layers were produced by vacuum deposition (at 10^{-5} mm Hg) on glass plates. The layers were from 2×10^{-4} to 3.5×10^{-4} cm thick. The electrode positions are shown in Fig.1. The experiments extended over the following wavelength ranges: 360-460, 530-580, 600-720, 740-1000 mμ. Figs. 2 and 3 give typical oscillograms showing the dependence of the change in the conductance $(\Delta \sigma)$ with time (t) under illumination with light of 10^{-4} W/cm^2 intensity. The oscillograms show that illumination raised the conductivity

Card 1/3

82550

On the Photoconductivity of Sulfur Layers
Exposed to the Action of Mercury Vapor

S/181/60/002/007/030/042
B006/B060

ASSOCIATION: Khar'kovskiy Politekhnicheskiy institut
               (Khar'kov Polytechnic Institute)

SUBMITTED: November 19, 1959

Card 3/3

82550

S/181/60/002/007/030/042
B006/B060

On the Photoconductivity of Sulfur Layers
Exposed to the Action of Mercury Vapor

12 - 15 minutes with the use of sunlight. It was further shown that photo
activity differed in various parts of the sample; the differences amounted
to almost one order of magnitude. The highest activity was exhibited by
the layer at the points over an electrode. A loop oscilloscope with a
d-c amplifier and a galvanometer was used for the measurement of photo-
conductivity, and a projection lamp (400 w) served as light source. Spectral
measurements were made on a monochromator of the type УМ-2 (UM-2). Fig. 2
shows $\Delta\sigma = f(t)$ for a sample irradiated with $\lambda = 453$ and 645 mµ at room
temperature. At $\lambda = 453$ mµ photoconductivity rises, passes through a maxi-
mum, and drops (below the value of darkness) deeply into the negative range
(negative photoconductivity). At $\lambda = 645$ mµ a rise is observable with
subsequent saturation (sluggish positive photoconductivity). Such a dif-
ferent behavior is also found if the conductivity of the sample whose
photoconductivity was effected by 453 and 645 mµ, respectively, is measured
in the dark (Fig. 3). The dark conductivity is maintained for 2.5 hours
in both cases. There are 3 figures and 4 references: 2 Soviet and 1
British.

Card 2/3

MOKHOV, G D

82550

S/181/60/002/007/030/042
B006/B060

24.7700

AUTHORS: Korsunskiy, M. I., Pastushuk, N. S., Mokhov, G. D.

TITLE: On the Photoconductivity of Sulfur Layers Exposed to the
Action of Mercury Vapor

PERIODICAL: Fizika tverdogo tela, 1960, Vol. 2, No. 7, pp. 1581 1583

TEXT: In a previous paper (Ref. 1) the authors had already found that
layers of amorphous selenium treated with mercury vapor exhibited both
positive and negative photoconductivity. The development of photoconduc
tion proved to be complicated and very sluggish. In the present paper the
authors examined sulfur layers. The samples were prepared by vacuum sput
tering of sulfur (10^{-5} torr) onto a glass plate 18 mm in diameter. Gold
electrodes were applied at intervals of 3 - 4 mm (Fig. 1). The sulfur
layer had a thickness of $(2-3).10^{-4}$ cm and a dark resistance of 10^{12} ohms.
After it had been treated with mercury vapor, its resistance dropped to
10^6 ohms and less, depending on the duration of treatment. At room tempera-
ture the treatment took 4 - 5 days; at 70° C, 7 - 8 hours. The authors found
a peculiar catalytic action of sunlight. The treatment took no more than

Card 1/3

Negative photoconductivity in...

S/058/62/000/007/045/068
A061/A101

the spectral dependence of absorption was measured in the near infrared (up to 2.5 μ).

/B

V. Sidorov

[Abstracter's note: Complete translation]

Card 2/2

9.4177

26.2696

S/058/62/000/007/045/068
A061/A101

AUTHORS: Korsunskiy, M. I., Pastushuk, N. S., Litvinova, L. B., Mokhov, G. D.,
                Reznik, M. B.

TITLE: Negative photoconductivity in mercury-doped selenium layers

PERIODICAL: Referativnyy zhurnal, Fizika, no. 7, 1962, 32, abstract 7E245
                (In collection: "Fotoelektr. i optich. yavleniya v poluprovodnikakh".
                Kiyev, AN USSR, 1959, 220 - 226)

/B

TEXT: The photoconductivity of amorphous Se layers doped with mercury vapors
was investigated. The layers were produced by evaporation of Se in vacuum and
condensation on a glass backing. A comparatively low-inertial positive photo-
conductivity and an inertial negative one were observed when illuminating the
layers with white light. On an increase in the concentration of mercury atoms
in the layers the value of positive photoconductivity dropped, while that of nega-
tive photoconductivity rose to a certain limit, and thereupon dropped. Both
negative and positive photoconductivity were examined as functions of the layer
temperature, of the intensity and the spectral composition of light. In addition,

Card 1/2

MOKHOV, Boris Ivanovich; D'YACHENKO, Aleksandr Akimovich;
FREYMAN, Tamara Iosifovna; MILLIONSHCHIKOV, A.D., otv. red.

[Payments and compensations from budget funds to organiza-
tions operating on a profit] Vyplaty i vozmeshcheniia kho-
zorganam sredstv iz biudzheta. Moskva, Finansy, 1965. 86 p.
(MIRA 18:7)

MOKHOV, B.

Participation of financial organs in establishing turnover tax
rates. Fin. SSSR 37 no.11:59-63 N'63.   (MIRA 17:2)

1. Nachal'nik otdela Ministerstva finansov RSFSR.

SOV/115-58-1-7/50

AUTHORS: Omel'chenko, A.I., and Mokhov, A.V., (deceased)

TITLE: An Optical Instrument for Measuring the Radius of Curves
             (Opticheskiy pribor dlya izmereniya radiusa zakrugleniya)

PERIODICAL: Izmeritel'naya tekhnika, 1958, Nr 1, pp 18 - 19 (USSR)

ABSTRACT: This is a detailed description of the design and operations
             of a new optical device, consisting of a double microscope,
             for checking the radius of edges of small bores. The device
             produces an "optic section", visible in the focus plane of
             the ocular, from which the bore radius must be computed.
             The absolute error of measurements on radiuses of 0.5 to
             0.8 mm is about 0.03 to 0.05 mm. There is 1 photo, 1 dia-
             gram and 2 Soviet references.

             1. Curved profiles--Measurement   2. Optical instruments--Performance

Card 1/1

L 46955-66   EWT(m)/EWP(w)/T/EWP(t)/ETI   IJP(o)   JD
ACC NR: AP6031733   (A)   SOURCE CODE: UR/0182/66/000/009/0038/0038

AUTHOR: Mokhov, A. I.; Danilin, S. I.   40

ORG: none   (B

TITLE: Improved heating conditions for 1Kh16N4B steel ingots and billets

SOURCE: Kuznechno-shtampovochnoye proizvodstvo, no. 9, 1966, 38

TOPIC TAGS: stainless steel, steel ingot heating, stainless ingot forging/
1Kh16N4B stainless steel

ABSTRACT: The Volgograd Machine Building Plant makes ring forgings from 3.7-ton
1Kh16N4B stainless-steel ingots. Until recently the heating of ingots required
35—40 hr. Now, cold ingots are charged into a furnace having a temperature of max
1000C and held at this temperature for 4—5 hr. The total heating time was reduced
to 15—17 hr. It was found that this accelerated heating procedure yielded forgings
with satisfactory macro- and microstructure and mechanical properties. The re-
spective tensile strength of tangential and longitudinal specimens was 134.2 and
134.0 kg/mm^2, yield strength 118.7 and 98.7 kg/mm^2, elongation 13.7—10.7%, reduction
of area 53.5—51.0% and notch toughness 8.7—11.5 mkg/cm^2, all greatly exceeding the
requirements of specifications. Orig. art. has: 2 tables.   [ND]

SUB CODE: 13/ SUBM DATE: none/ ATD PRESS: 5088

Card 1/1   JS   UDC: 621.78.5

VOL'KHIN, B.A.; MOKHOV, A.I.; SUKHORUKOV, V.G.

New device for measuring the displacement of rocks in mine workings.
Gor. zhur. no.6:71-72 Je '64.   (MIRA 17:11)

1. Ural'skiy nauchno-issledovatel'skiy i proyektnyy institut mednoy
promyshlennosti, Sverdlovsk.

MOKHOV, Anatoliy Aleksandrovich; SHELINSKIY, Georgiy Ivanovich;
KHAGEMEYSTER, Ye., red.

[Systematic process of operations of the qualitative semi-
microanalysis of cations and anions; a manual on qualitative
analysis] Sistematicheskii khod kachestvennogo polumikro-
analiza kationov i anionov; uchebnoe posobie po kachestven-
nomu analizu. Leningrad, Severo-zapadnyi zaochnyi in-t,
1964. 37 p. (MIRA 18:3)

MILLER, A.D.; MOKHOV, A.A.; TURYLEVA, L.V.

Method of determining microquantities of molybdenum in a superimposed salt halo. Geokhimiia no.7:610-615 '61. (MIRA 14:6)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut metodiki i tekhniki razvedki, Severo-zapadnoye geologicheskoye upravleniye, Leningrad.

(Molybdenum ores)

Use   of the Biogeochemical Method in   SOV/7-59-3-8/13
Prospecting for Nickel on the Kola Peninsula

centrations were found in the leaves of birch-trees; repeated
taking of samples showed (Fig 6) that the nickel content is
highest in summer and fall. In samples taken of the soil the
layers having a thickness of from 0 to 3 cm, and from 3 to
20 cm were separated and extracted with weak solutions of
hydrochloric acid of different pH value (Table 3). Solutions
of pH 6 do not extract nickel, such of pH 3 about 45%, of
pH 1.3 practically entirely. It must be pointed out that
samples of plants and soils in damp areas have a higher nickel
content. There are 8 figures, 3 tables, and 6 Soviet
references.

ASSOCIATION: Leningradskiy ordena Trudovogo Krasnogo Znameni tekhnologicheskiy
institut im. Lensoveta (Leningrad Order of the Red Labor Ban-
ner Technological Institute imeni Lensovet)

SUBMITTED: October 9, 1958

Card 2/2

14(5)
AUTHORS:

Aleskovskiy, V. B., Mokhov, A. A.,   SOV/7-59-3-8/13
Spirov, V. N.

TITLE:

The   of the Biogeochemical Method in   Prospecting
for Nickel on the Kola Peninsula (Ispol'zovaniye
biogeokhimicheskogo metoda poiskov nikelya na Kol'skom
poluostrove)

PERIODICAL:

Geokhimiya, 1959, Nr 3, pp 266-272 (USSR)

ABSTRACT:

Investigations were carried out of the nickel content in water,
plants, and in the soil for four profiles. The water of the
area investigated contains no nickel, which is probably due
to the high pH value (Table 1) and the abundant precipitations.
Only the most frequently occurring plants were investigated:
fir-tree (pirus triesiana), the subarctic birch (betula
subarctica), the stunted birch (betula tortuosa) and the
bilberry (vaccinium myrtillus). Botanical determination of
plants was carried out by the Polyarno-al'piyskiy botanicheskiy
sad Kol'skogo filiala im. S. M. Kirova Akademii nauk SSSR
(Arctic-Alpine Botanical Gardens of the Kola Branch imeni
S. M. Kirov of the Academy of Sciences USSR). The nickel
content is in each case shown graphically. The highest con-

Card 1/2

MOKHOV, A. A. Cand Chem Sci -- (diss) "Development of methods of the quantitative

determination of nickel in natural water, vegetable matter, and soil." Len, 1959

19 pp with grpahs (Min of Higher and Secondary Specialized Education RSFSR.

Len Order of Labor Red Banner Technological Inst im Lensovet), 150 copies

(KL, 48-59, 113)

-11-

ALESKOVSKIY, V.B.; DOBYCHIN, S.L.; KEDRINSKIY, I.A.; MILLER, A.D.;
MIKHEYEVA, A.I.; MOKHOV, A.A.; NAZAROVA, Z.N.

Determination of trace elements in natural waters after a pre-
liminary concentration by the method of "sinking particles."
Trudy LTI no.48:12-21 '58.
(MIRA 15:4)
(Trace elements) (Water, Underground)

MOKHOV, A.; OMELCHENKO, A.

"Optical instrument for measuring the radius of a curvature." P. 166.

JEMNA MECHANIKA A OPTIKA. (Ministerstvo presne ho strojirenstvi a
Ustav pro vyzkum optiky a jemne mechaniky). Praha, Czechoslovakia,
Vol. 4, No. 5, May 1959.

Monthly list of East European Accessions (EEAI), LC, Vol. 8, No. 8,
August, 1959.
Uncla.

L 40238-66

ACC NR: AP6019641

tion of the eutectic mixture was carried out in ampules 120 x 18 x 10 mm. Samples were selected every 10 mm in which the content of the calcium impurity was determined by the flame photometry method. The experiment showed that the zone melting method can reduc: the content of the calcium impurity in strontium compounds. Thus, after three passes of the zone at a rate of 7 mm/hr the calcium content dropped to 0.004% at its initial value of 0.010%. A study of the effect of certain impurities on the effective coefficient of distribution of the calcium impurity when purifying the mixture $Sr(NO_3)_2 + KNO_3$, revealed that an increase in the content of zinc, iron, and nickel impurities lowers the efficiency of reducing the calcium impurity concentration. Orig. art. has: 1 table and 2 figures.

SUB CODE: 07, // SUBM DATE: 24Feb65/ ORIG REF: 006/ OTH REF: 006

Card 2/2

L 40238-66   EWT(m)/EWP(t)/ETI/EWP(k)   JD

ACC NR: AP6019641

SOURCE CODE: UR/0149/66/000/003/0081/0084

AUTHOR: Mokhosoyev, M. V.; Got'manova, T. T.

ORG: Donetsk Branch, All-Union Research Institute of Chemical Reagents and Especially Pure Substances (Vsesoyuznyy nauchno-issledovatel'skiy institut khimicheskikh reaktivov i osobo chistykh veshchestv (Donetskiy filial))

TITLE: Zone purification of strontium nitrate

SOURCE: IVUZ. Tsvetnaya metallurgiya, no. 3, 1966, 81-84

TOPIC TAGS: strontium compound, nitrate, calcium compound, chemical purity, zone refining , METAL PURIFICATION

ABSTRACT: The zone melting method was used to investigate the feasibility of purifying compounds of strontium. On the basis of the physicochemical properties of strontium com- pounds, the eutectic mixture Sr (NO3)2 (55 wt. %) plus KNO3 was selected for zone purifica- tion. The nitrates of strontium and potassium of analytical grade were used as the starting raw material. The eutectic mixture was prepared by fusing catalytic quantities of the com- ponents with subsequent holding at the melting point for 1 hr and slow cooling to room tempera- tures. The alloy was ground, charged into ampules, and the ampules sealed. Zone purifica-

Card 1/2

UDC: 669.2/.8.892

MOKHOSOYEV, M.V.

Production of antimony trichloride from antimony pentachloride.
Zhur.prikl.khim. 30 no.9:1385-1386 S '65.　　　　　　　　(MIRA 18:10)

1. Donetskiy filial Vsesoyuznogo nauchno-issledovatel'skogo instituta
khimicheskikh reaktivov i osobo chistykh veshchestv.

MOKHOSOYEV, M.V., ALEYKINA, S.M.

Reaction of chromium oxide with sodium and potassium carbonates.
Zhur. neorg. khim. 10 no.2:363-365 F '65. (MIRA 18:11)

1. Donetskiy filial Vsesoyuznogo nauchno-issledovatel'skogo
instituta khimicheskikh reaktivov i osobo chistykh veshchestv.
Submitted May 10, 1963.

MOKHOSOYEV, M.V.; GOT'MANOVA, T.T.; KOKOT, I.F.

Removal of strontium and barium impurities from calcium nitrate by zone recrystallization. Zhur. neorg. khim. 9 no.11:2518-2525 N '64. (MIRA 18:1)

1. Donetskiy filial Vsesoyuznogo nauchno-issledovatel'skogo instituta khimicheskikh reaktivov i osobo chistykh khimicheskikh veshchestv.

MOKROUSOV, M.V.,

Interaction
po'assium
31 '64.

1. Konstrukts
instituts Kirpichaskikh reaktivov i osobo chistykh veshchest..

ACCESSION NR: AP4009353

different congruent or incongruent melting points and that purifi-
cation of sodium ditungstate from Fe, Mg and Cu by zone melting is
possible. Orig. art. has: 1 figure, 2 tables.

ASSOCIATION: Moskovskiy institut tonkoy khimicheskoy tekhnologii
             im. Lomonosova (Moscow Institute of Fine Chemical
             Technology)

SUBMITTED: 04Jan63   DATE ACQ: 07Feb64   ENCL: 00

SUB CODE: CH   NR REF SOV: 006   OTHER: 000

Card 2/2

ACCESSION NR: AP4009353   8/0078/64/009/001/0169/0172

AUTHORS: Mokhosoyev, M. V.; Fedorov, P. I.

TITLE: Interaction of sodium ditungstate with ferrous, magnesium
and cupric tungstates

SOURCE: Zhurnal neorganicheskoy khimii, v. 9, no. 1, 1964, 169-172

TOPIC TAGS: sodium ditungstate, ferrous tungstate, magnesium tung-
state, cupric tungstate, sodium ditungstate purification

ABSTRACT: The purpose of this work is a method of purification of
sodium ditungstate from admixtures of Cu, Mg, Fe and Pb by means of
zone melting. The assumption is that they are present in the form
of their tungstates, while silicon and chromium are present in the
form of sodium silicate and chromate. Their interaction in melts
was studied by preparing phase diagrams of binary melts of the
above components with sodium ditungstate. Eutectic, liquidus, and
polymorphic transformation temperatures were observed. It was re-
vealed that the components of the tungstate compounds formed have

Card 1/2

has: 1 table.

ASSOCIATION: Vsesoyuzny*y nauchno-issledovatel'skiy institut
khimicheskikh reaktivov i osobo chistikh khimicheskikh veshchestv.
Donetskiy filial. (All-Union Scientific Research Institute of
Chemical Reagents and Ultrapure Chemical Substances, Donets branch)

SUBMITTED: 15Jun63   ATD PRESS: 3080   ENCL: 00

SUB CODE: MM, IC   NO REF SOV: 001   OTHER: 000

Card 2/2

Tsvetnaya metallurgiya, no. 3, 1964, 53-55

TOPIC TAGS: nickel oxide, pure nickel oxide, nickel nitrate hydrate, nickel nitrate purification, zone melting, impurity removal

ABSTRACT: The zone refining of hydrate of nickel nitrate (an initial material from which semiconductor-quality nickel oxide is obtained) is described. The nickel-nitrate hydrate ($Ni(NO_3)_2 \cdot 6H_2O$ without cobalt) was sealed in a test tube and subjected to zone melting. Calcium was the most easily removed. One pass lowered the calcium content from 0.027% to 0.0032%. The removal of cobalt, copper, and magnesium was less effective. The cobalt content (0.006%) could be reduced to 0.004% in three passes. The magnesium content decreased from 0.014% to 0.010% after one pass and to 0.008% after five passes. The copper content was approximately 0.0048%, and after ten passes could be reduced only to 0.0043%. After zone melting the refined

Card 1/2

ACCESSION NR: AP4009845

passage at a zonal speed rate of 7 mm per hour) reduced to 0.060%, and after 10
passages at 30 mm/hr to 0.018%. The eutectic blend of $Ba(NO_3)_2$+$BaCl_2$ contained
62 Mol% $Ba(NO_3)_2$ and had a melting point of 497C. The length of the combustion
boat was 100 mm, and the length of the fused zone was kept at 10 mm. Five passages
at 30 mm/hr reduced the calcium content from the initial 0.17% to 0.044%. The
effect of the addition of 0.1% $Mg(NO_3)_2$ and $Sr(NO_3)_2$ on the removal of calcium
from the $Ba(NO_3)_2$+KNO_3 eutectic blend was investigated, and favorable results were
obtained. Orig. art. has: 1 table.

ASSOCIATION: Donetskiy filial Vsesoyuznogo nauchno-issledovatel'skogo instituta
khimicheskikh reactivov i osobo chisty*kh veshchestv (Donets Branch of the All-
Union Scientific Research Institute of Chemical Reagents and High Purity Substances)

SUBMITTED: 08Apr63   DATE ACQ: 07Feb64   ENCL: 00

SUB CODE: CH   NO REF SOV: 006   OTHER: 006

4 Card 2/2

ACCESSION NR: AP4009845

S/0149/63/000/006/0120/0123

AUTHORS: Mokhosoyev, M. V.; Got'manova, T. T.

TITLE: Purification of barium compounds from admixtures of calcium by the method of zonal fusion

SOURCE: IVUZ. Tsvetnaya metallurgiya, no. 6, 1963, 120-123

TOPIC TAGS: barium, barium compound, barium nitrate, barium chloride, potassium nitrate, calcium, strontium, magnesium, purification, eutectic mixture, fusion, zonal fusion

ABSTRACT: The purification of barium nitrate was conducted in eutectic blends with potassium nitrate or barium chloride by the method of zonal fusion. The eutectic blend of $Ba(NO_3)_2 + KNO_3$ contained 12 Mol/% $Ba(NO_3)_2$, and had a melting point of 285.7C. It was placed in 120-mm ampules, and the length of the fused zone was kept constant at 30 mm. It was found that the initial admixture of calcium of 0.018% was reduced to 0.0018% after one passage at a zonal speed rate shift of 7 mm per hour and to 0.0012% after 5 passages at a rate of 30 mm per hour. The purification of samples with an initial calcium content of 0.34% (after one

Card 1/2

MOKHOSOYEV, M.V.; GOT'MANOVA, T.T.

Preparation of high-purity substances with the zone melting method. Prom.khim.reak. i osobo chist.veshch. no.3:5-21 '63.
(MIRA 17:4)

MOKHOSOYEV, M.V.; KULESHOV, I.M.; FEDOROV, P.I.

Thermographic investigation of the systems consisting of potassium
tetramolybdate - potassium carbonate and potassium tetratungstate -
potassium carbonate. Zhur.neorg.khim. 7 no.7:1628-1631 Jl '62.
(MIRA 16:3)

1. Institut fisicheskoy khimii AN SSSR i Moskovskiy institut tonkoy
khimicheskoy tekhnologii imeni Lomonosva.
(Potassium carbonate) (Molybdates) (Tungstates) (Thermal analysis)

S/136/62/000/003/004/008
E021/E435

Zone-refining of acid tungstates

compounds contain small quantities of lead, iron, chromium, silicon and other elements which could affect the distribution coefficient of molybdenum. Experiments on sodium ditungstate showed that small quantities of lead or magnesium increased the degree of purification from molybdenum, whereas silicon and copper lowered the efficiency of purification. The coefficients of distribution K for other elements were also calculated (Table 4). The described method can also be used for purification of molybdenum compounds from tungsten. There are 4 tables.

Card 2/3

S/136/62/000/003/004/008
E021/E435

/8.3 r00

AUTHORS: Fedorov, P.I., Mokhosoyev, M.V.

TITLE: Zone-refining of acid tungstates

PERIODICAL: Tsvetnyye metally, no.3, 1962, 61-66

TEXT: Zone-refining experiments were carried out on tungsten compounds ($Na_2W_2O_7$; $K_2W_4O_{13}$; $NaPO_3 \cdot WO_3$) to remove isomorphous impurities of molybdenum.   In the experiments, quartz and platinum boats on a horizontal apparatus were used.   The zone refining was followed by spectrographic analysis.   The most efficient purification from molybdenum occurred with the smallest zone-width and the lowest rate of traverse;   the best results being obtained from a zone of 10 mm and a rate of 2 cm/hour.   The coefficients of distribution for molybdenum under these conditions were 0.37, 0.20 and 0.60 for $Na_2W_2O_7$, $K_2W_4O_{13}$ and $NaPO_3 \cdot WO_3$, respectively.   With increasing Mo concentration up to 1%, the coefficient of distribution decreased.   Thus, for a zone of 15 mm and a rate of traverse of 2 cm/hour across $Na_2W_2O_7$ the coefficient was 0.8, 0.72, 0.64, 0.59 and 0.52 for 0.098, 0.015, 0.08, 0.5 and 0.95 % Mo, respectively.   Almost all tungsten

Card 1/2

FEDOROV, P.I.; MOKHOSOYEV, M.V.

Phase diagram of the system potassium tetratungstate - potassium tetramolybdate. Zhur.neorg.khim. 6 no.4:1009-1011 Ap '61.
(MIRA 14:4)

1. Moskovskiy institut tonkoy khimicheskoy tekhnologii imeni M.V.Lomonosova.
(Potassium tungstate)   (Potassium molybdate)

MOKHOSOYEV, M.V.; FEDOROV, P.I.

Interaction of sodium carbonate with sodium ditungstate and sodium dimolybdate. Zhur. neorg. khim. 6 no.1:243-246 '61. (MIRA 14:2)

1. Moskovskiy institut tonkoy khimicheskoy tekhnologii im. M.V. Lomonosova.

(Sodium carbonate)　　　　　(Sodium tungstate)

(Sodium molybdate)

FEDOROV, P.I.; MOKHOSOEV, M.V.

P.ase diagram of the system sodium ditungstate - sodium di oxydate.
Zhur. neorg. khim. 6 no.1:242-243 '61. (MIRA 14:3)
(Sodium tungstate)   (Sodium molybdate)

MOKHOSOYEV, M.V.; FEDOROV, P.I.

Obtaining pure compounds of tungsten; a survey. Trudy BKNII
no.!:58-71 '61.   (MIRA 18:2)

diagrams of systems $Na_2W_2O_7 - Na_2CrO_4$; $Na_2W_2O_7 - Na_2SiO_3$; $Na_2W_2O_7 - PbWO_4$ were
plotted which show that 1) during the interaction of sodium ditungstate with
sodium chromate compound $2Na_2W_2O_7 \cdot 3Na_2CrO_4$ is formed (at 60 mol.% sodium
chromate), which melts congruently at $650^\circ C$; 2) during the interaction of
sodium ditungstate with sodium silicate, compound $Na_2W_2O_7 \cdot Na_2SiO_3$ is formed
(at 50 mol.% sodium silicate), which melts incongruently at $700^\circ C$; 3) during
the interaction of sodium ditungstate with lead tungstate, compound $Na_2W_2O_7 \cdot PbWO_4$ is formed (at 50 mol.% lead tungstate) in the solid phase. There are
3 figures, 1 table and 7 references: 6 Soviet-bloc and 1 non-Soviet-bloc.

ASSOCIATIONS: Moskovskiy institut tonkoy khimicheskoy tekhnologii (Moscow
Institute of Fine Chemical Technology); Kafedra khimii i
tekhnologii redkikh i rasseyannykh elementov (Department of
Chemistry and Technology of Rare and Dispersed Elements)

SUBMITTED: October 13, 1960

Card 2/2